



Technische Daten

Technical data sheet

Produkt Product	Landhausdiele massiv Solid planks
Holzart species	Eiche europäisch European oak
Botanische Bezeichnung Botanic name	Quercus robur Quercus robur
Europäische Kennz. gem. DIN EN 13556 European mark according DIN EN 13556	QCXE QCXE
Stärke thickness	20 mm 20 mm
Breite width	120 / 140 / 160 / 180 / 200 mm 120 / 140 / 160 / 180 / 200 mm
Länge length	Systemlängen fallend 500-2000 mm / Fixlängen 2100-2500 mm system length random 500-2000 mm / length fix 2100-2500 mm
Aufbau Composition	Massiv solid
Oberflächenveredelung surface finish	Naturbelassen gebürstet oxidativ geölt hartwachsgeölt UV-lackiert gebeizt gelaugt gekälkt unfinished brushed oxidative oiled wax oiled uv-laquered pre colored leached whitewashed
Verbindung profile	vierseitig Nut und Feder tongue and groove 4-sides
Kanten edges	vierseitig gefast (Microfase) micro bevel 4-sides
Gewicht pro m² weight per sqm	15 kg 15 kg.
Holzfeuchte wood moisture	Ca. 9% Ca. 9%
Wärmedurchlasswiderstand thermal resistance	~ 0,105 m² K/W ~ 0,105 sqm K/W
Produktionsnorm norm of production	analog DIN EN 13629 analogue DIN EN 13629
Brandschutzklasse fire class	Cfl-S1 Cfl-S1
Formaldehydklasse class of formaldehyde	E1
Gehalt an Pentachlorphenol concentration of pentachlorophenol	< 5 ppm
Dauerhaftigkeit (biologisch) longevity (biological)	Gebrauchsklasse 1
Bruchfestigkeit break resistance	NPD
Rutschverhalten slide performance	NPD
Sortierungsbeschreibung	Bei der Eiche Natur handelt es sich um eine ruhige Sortierung, welche Natürlichkeit ausstrahlt und Äste mit einem Durchmesser von circa 20-30mm (kleinster Durchmesser) aufweisen kann. Die Ware ist im Prinzip frei von Splint, natürliche Farbunterschiede sind erlaubt. Offene Aststellen sind ausgespachtelt und die Oberfläche ist vorgeschliffen. Herkunftsland der Eiche ist Europa und sie stammt aus nachhaltiger Forstwirtschaft.

Sort description

This grading oak nature is one of our calmest selections of oak planks. This grading has knots only approximately 20-30mm in diameter. The open knots are filled and the surface is sanded. The color is natural without sapwood. The region of origin is Europe from sustainable forestries.

Xylon Corporation d.o.o.

www.xyloncorp.com

Tel: +387 33 401 001

Fax: +387 33 401 002

E-mail: info@xyloncorp.com