



Catalogue

xylon

Manufacturing with a passion for style

www.xyloncorp.com

OUR STORY

18 years ago, Plena Group broadened its building materials industry segment with the purchase of a sawmill near Sarajevo, Bosnia and Herzegovina. With large investments and continuous development of the facilities the operation was able to expand significantly. Plena rebranded and named the company XYLON, the Greek word for “wood”. Deepening ties with clients, in 2014 Plena Group established Futura Floors GmbH to expand its product range, facilitate communication and logistics.

With a stunning portfolio of Solid Parquet, Engineered flooring, Decking and Designer Vinyl, both Xylon and Futura promote exceptional indoor and outdoor floor coverings specially chosen for our clients. With a capacity of over 500,000 m² per year and warehousing of over 20,000 m², the factory has supplied leading clients throughout Europe and Middle East. We believe in long term partnerships and welcome new business.



INDOOR

04-11	SOLID WOOD
05	Herringbone
06-09	Solid Oak Planks
10	Other Hardwood Solid Floors
11	Softwood Solid Planks
12-15	PARQUET
13	Classical Parquet
14-15	Mosaic Parquet
16-20	ENGINEERED 3-LAYER OAK
16-18	Engineered 3-layer oak planks
19	Engineered 3-strip oak planks
20	Engineered 3-layer oak parquet
21-22	SKIRTING SOLID & VENEERED/MDF
23-26	SURFACE FINISH
24	Textures, UV Lacquered
25	Rubio End-oil
26	Woca End-oil
27-31	DESIGN DECORS
27-31	Vinyl

OUTDOOR

34	WPC DECKING
35-36	ACCESSORIES
35	WPC underconstruction WPC end profile Granulate pads
36	Profi decking bases Fastening accessories
37	YOUR CONTACT PERSON



Solid wood floor

There is no other flooring that reflects the natural properties of a real wood floor as perfectly as the solid planks and parquet manufactured in our factory. This traditional type of plank has been used for interior floors for centuries because of its timeless beauty. The floor is suitable for use in domestic living spaces as well as for larger areas.

We have a wealth of experience in finishes for almost every type of wood. You can choose between brushing, oiling and lacquering to show off the natural beauty of the wood. Since we have our own factory, we can also create stairs and skirting for you that also match your floor.



Obtained from domestic
European forests



Environmentally
friendly



To add surface
finishes see pages
23-25



Nature

In principle sapwood-free, knots allowed.

Article no.	Dimensions, mm	Package contents
SX-103723	15 x 120 x 500 / 600 / 700 / 800 / 900 *	4 left & 4 right pieces
SX-103727	20 x 120 x 500 / 600 / 700 / 800 / 900	2 left & 2 right pieces



Marcant

Possible with larger knots and sapwood content.

Article no.	Dimensions, mm	Package contents
SX-103724	15 x 120 x 500 / 600 / 700 / 800 / 900	4 left & 4 right pieces
SX-103728	22 x 120 x 500 / 600 / 700 / 800 / 900	2 left & 2 right pieces



Rustic

With knots and approx. 15 - 20% sapwood content.

Article no.	Dimensions, mm	Package contents
SX-103725	15 x 120 x 500 / 600 / 700 / 800 / 900	4 left & 4 right pieces
SX-103729	20 x 120 x 500 / 600 / 700 / 800 / 900	2 left & 2 right pieces

* On enquiry

Products adhere to the highest standards, produced according to DIN EN 13629, surfaces filled and sanded, tongue and groove, micro bevels, right and left strips mixed in the package.



Nature

In principle sapwood-free, knots allowed.



Article no.	Dimensions, mm	Lengths, mm	Package contents, sqm
SX-100029	15 x 130	400 - 1800	2,288 m ²
SX-100032	15 x 140	400 - 1800	2,464 m ²
SX-100030	15 x 130	1900 - 2000*	8 pcs
SX-100033	15 x 140	1900 - 2000*	8 pcs
SX-104991	20 x 100	500 - 2000	5 pcs
SX-102459	20 x 120	500 - 2000	5 pcs
SX-100038	20 x 140	500 - 2000	1,400 m ²
SX-100041	20 x 160	500 - 2000	1,600 m ²
SX-100044	20 x 180	500 - 2000	1,800 m ²
SX-100047	20 x 200	500 - 2000	2,000 m ²
SX-100039	20 x 140	2100 - 2500*	5 pcs
SX-100042	20 x 160	2100 - 2500*	5 pcs
SX-100045	20 x 180	2100 - 2500*	5 pcs
SX-100048	20 x 200	2100 - 2500*	5 pcs



To add **surface**
finishes see pages
23-25




* On enquiry



Marcant

Possible with larger knots and up to 5% sapwood content.



Article no.	Dimensions, mm	Lengths, mm	Package contents
SX-100055	15 x 130	400 - 1800	2,288 m ²
SX-100059	15 x 140	400 - 1800	2,464 m ²
SX-100056	15 x 130	1900 - 2000*	8 pcs
SX-100060	15 x 140	1900 - 2000*	8 pcs
SX-104593	20 x 100	500 - 2000*	5 pcs
SX-101576	20 x 120	500 - 2000	5 pcs
SX-100065	20 x 140	500 - 2000	1,400 m ²
SX-100069	20 x 160	500 - 2000	1,600 m ²
SX-100073	20 x 180	500 - 2000	1,800 m ²
SX-100077	20 x 200	500 - 2000	2,000 m ²
SX-100585	20 x 140	2100 - 2500*	5 pcs
SX-100070	20 x 160	2100 - 2500*	5 pcs
SX-100074	20 x 180	2100 - 2500*	5 pcs
SX-100078	20 x 200	2100 - 2500*	5 pcs

* On enquiry

Products adhere to the highest standards, produced according to DIN EN 13629, surfaces filled and sanded, tongue and groove, micro bevels.



Rustic

With knots and approx. 15-20% sapwood.



Article no.	Dimensions, mm	Lengths, mm	Package contents
SX-100087	15 x 130	400 - 1800	2,288 m ²
SX-100091	15 x 140	400 - 1800	2,464 m ²
SX-100088	15 x 130	1900 - 2000*	8 pcs
SX-100092	15 x 140	1900 - 2000*	8 pcs
SX-105449	20 x 100	500 - 2000	5 pcs
SX-102469	20 x 120	500 - 2000	5 pcs
SX-100097	20 x 140	500 - 2000	1,400 m ²
SX-100101	20 x 160	500 - 2000	1,600 m ²
SX-100105	20 x 180	500 - 2000	1,800 m ²
SX-100109	20 x 200	500 - 2000	2,000 m ²
SX-100098	20 x 140	2100 - 2500*	5 pcs
SX-100586	20 x 160	2100 - 2500*	5 pcs
SX-100587	20 x 180	2100 - 2500*	5 pcs
SX-100110	20 x 200	2100 - 2500*	5 pcs

* On enquiry

BEECH steamed European

Elegance: In principle knot-free and without brown core.

Rustic: With a dark core and knots.

Elegance

Rustic

Article no.	Grade	Dimensions, mm	Lengths, mm	Package contents, sqm
SX-100132	Elegance	15 x 140	400 - 1800	2,464
SX-100133	Elegance	20 x 140	500 - 2000	1,400
SX-100134	Rustic	15 x 140	400 - 1800	2,464
SX-100135	Rustic	20 x 140	500 - 2000	1,400

ASH European

Elegance: In principle knot-free and without brown core.

Rustic: With brown core and knots.

Elegance

Rustic

Article no.	Grade	Dimensions, mm	Lengths, mm	Package contents, sqm
SX-100136	Elegance	15 x 140	400 - 1800	2,464
SX-100137	Elegance	20 x 140	500 - 2000	2,464
SX-100138	Rustic	15 x 140	400 - 1800	1,400
SX-100139	Rustic	20 x 140	500 - 2000	1,400

Spruce A

Fixed length 2050/2350 mm and long plank 3850/4450/5050 mm.
With firmly grown knots.



Article no.	Grade	Dimensions, mm	Lengths, mm	Package contents, pieces
SX-105466	A	21 x 133	1950 - 5000*	4
SX-105467	A Long plank	27 x 180	2950 - 5000*	3
SX-105807	A/B	21 x 133	1950 - 5000	4
SX-105718	A/B	27 x 180	2950 - 5000	3

Pine A

Fixed length 2050/2350 mm and long plank 3850/4450/5050 mm.
With firmly grown knots.



Article no.	Grade	Dimensions, mm	Lengths, mm	Package contents, pieces
SX-105469	A	21 x 133	1950 - 5050*	4
SX-105470	A Long plank	27 x 180	3850 - 5050*	3
SX-105808	A/B	21 x 133	1950 - 5000	4
SX-105809	A/B	27 x 180	2950 - 5000	3

* On enquiry



Parquet

We offer parquet flooring in a variety of assortments, from the Elegance and Nature gradings to the more expressive Rustic grade. Our parquet flooring comes exclusively in oak which is a species renowned for its natural properties, durability and practicality. The parquet comes with tongue and groove all around and is available various dimensions.



Obtained from domestic
European forests



Environmental
friendly



To add surface
finishes see pages
23-25

Oak Nature

In principle, sapwood-free, occasionally small point knots.

Article no.	Dimensions, mm	Package contents, sqm
SX-103758	16 x 70 x 300 / 400 / 500	0,84 / 1,12 / 1,40
SX-103754	22 x 70 x 300 / 400 / 500	0,84 / 1,12 / 1,40



Oak Rustic

With knots and approx. 20% sapwood.


Article no.	Dimensions, mm	Package contents, sqm
SX-103760	16 x 70 x 300 / 400 / 500	0,84 / 1,12 / 1,40
SX-103756	22 x 70 x 300 / 400 / 500	0,84 / 1,12 / 1,40



Ash Elegance

May have occasional small knots and natural differences in colour.


Article no.	Dimensions, mm	Package contents, sqm
SX-105857	22 x 70 x 300 / 400 / 500	0,84 / 1,12 / 1,40



Ash Rustic

All natural features are permitted without restriction, as well as natural colour differences. Open cracks and knots are filled.

Article no.	Dimensions, mm	Package contents, sqm
SX- 105858	22 x 70 x 300 / 400 / 500	0,84 / 1,12 / 1,40



Oak Nature

Calm sorting with healthy knots ≤ 2 mm and black knots ≤ 1 mm.


Article no.	Dimensions, mm	Pattern	Package contents, sqm
SO-100928	8 x 23 x 160	Cube Association	4,920
SO-100933	8 x 23 x 160	Parallel Association	4,920
SO-100938	8 x 23 x 160	English Association	4,920



Oak Object

Healthy knots approx. 7mm, black 4mm. Color difference allowed, subtle structure with low proportion of sapwood.


Article no.	Dimensions, mm	Pattern	Package contents, sqm
SO-105879	8 x 23 x 160	Cube Association	4,920
SO-105880	8 x 23 x 160	Parallel Association	4,920
SO-105881	8 x 23 x 160	English Association	4,920



Oak Rustic

Expressive sorting with healthy knots ≤ 10 mm and black knots ≤ 8 mm. Natural color differences are allowed.

Article no.	Dimensions, mm	Pattern	Package contents, sqm
SO-100930	8 x 23 x 160*	Cube Association	4,920
SO-100935	8 x 23 x 160*	Parallel Association	4,920
SO-100940	8 x 23 x 160*	English Association	4,920



Oak Industry

Healthy knots and black knots allowed.

Article no.	Dimensions, mm	Package contents, sqm
SO-101166	10 x 10 x 160	2,048
SO-100948	15 x 10 x 160	1,025
SO-100942	23 x 8 x 160	1,024



* On enquiry

Natural color differences are allowed. In principle, the goods are free from sapwood, cracks and ingrown bark. Products adhere to the highest standards, produced according to DIN EN 13488.

Mosaic oak parquet





Engineered 3-layer oak 2G/5G-C Clic Drop Down

Välinge 2G/5G-C Clic-Drop Down. Quality according to factory standard analogue produced according to DIN EN 13489. structure: Top layer / wear layer: approx. 3 mm oak / centre layer approx. 9 mm pine / backing approx. 2 mm pine/spruce. Edges bevelled on four sides. Stained lengths 1900mm can be combined with each other.

Dimensions 14x190x1900mm

Package contents 2,888m²

Characteristic sorting

Noblesse Natural texture, small knots possible, slight color differences, with a small amount of sapwood

Provence Lively texture and color differences, percentage of sapwood possible, knots. Filled in black.

Rustikal Life Lively rustic character with differences in structure and colour, sapwood, natural knots, pronounced black-filled core splits and knots





Noblesse

Article no.	Sorting	Dimensions, mm	Package contents, m ²	Surface treatment
EF-105691	Noblesse	14x190x1900	2,888	Unfinished



Provence

Article no.	Sorting	Dimensions, mm	Package contents, m ²	Surface treatment
EF-105790/EF-105794	Provence	14x190x1900	2,888	Unfinished



Rustic Life

Article no.	Sorting	Dimensions, mm	Package contents, m ²	Surface treatment
EF-105560/EF-105797	Rustikal Life	14x190x1900	2,888	Unfinished

Any combination of oil and varnish from page 23-25



**Plank 3-layer oak
Välinge 2G/5G-C**



3- strip engineered oak Clic-Drop Down



3-Strip Engineered oak floor

Quality according to factory standard, analogue production according to DIN EN 13489, bevelled edges on four sides. Structure: Top layer / wear layer: approx. 3 mm oak / centre layer approx. 8 mm spruce / backing



Classic

Natural texture and colour differences, small knots with low sapwood content

Article no.	Dimensions, mm	Package contents, m ²	Surface treatment
EF-105862	13x190x2250	2,565	UV lacquered



Elegance/Nature herringbone

Harmonious sorting with small knots. Sapwood-free.

Article no.	Dimensions, mm	Package contents, sqm	Surface
EF-105217	14x140x740 Herringbone*	0.829	Unfinished



Marcant/Rustic herringbone

Characteristic grading with knots. Sapwood free.


Article no.	Dimensions, mm	Package contents, sqm	Surface
EF-105218	14x140x740 Herringbone*	0.829	Unfinished



Elegance/Nature Chevron

Harmonious sorting with small knots. Sapwood-free.

Article no.	Dimensions, mm	Package contents, sqm	Surface
EF-105219	14x120x880 Chevron 45**	0.845	Unfinished



Marcant/Rustic Chevron

Characteristic sorting with knots. Sapwood-free.





Article no.	Dimensions, mm	Package contents, sqm	Surface
EF-105220	14x120x880 Chevron 45**	0.845	Unfinished







* On enquiry



Solid skirting OAK knots-free (select / nature)





Article no.	Dimensions, mm	Lengths, mm	Profile	Surface	
X-AC100445	15x40	1500-2400	beveled	Unfinished	
X-AC100451 / X-AC101520	15x60	1500-2400	beveled / rounded	Unfinished	
X-AC100448 / X-AC101608	20x40	1500-2400	beveled / rounded	Unfinished	
X-AC100221 / X-AC100218	20x60	1500-2400	beveled / rounded	Unfinished	

Solid skirting OAK with knots (marcant/ rustic)

Article no.	Dimensions, mm	Lengths, mm	Profile	Surface	
X-AC101607	15x40	1500-2400	beveled	Unfinished	
X-AC100466 / X-AC101519	15x60	1500-2400	beveled / rounded	Unfinished	
X-AC101505 / X-AC101913	20x40	1500-2400	beveled / rounded	Unfinished	
X-AC100469 / X-AC100882	20x60	1500-2400	beveled / rounded	Unfinished	

Skirting surfaces available! ¹ To add surface finishes see pages 23-25

Skirting veneered / MDF

Article no.	Dimensions, mm	Lengths, mm	Profile	Surface	
AC-105853	16x60	2500	Oak veneered knotless, straight rounded	white lacquered	
AC-105854	16x60	2500	Oak veneered knotless, straight rounded	natural lacquered	
AC-105766	18x78	2500	Oak veneered knotless, straight bevelled	white foiled	
AC-105852	15x60	2500	Oak veneered knotless, straight bevelled	white foiled	





Design your own dream floor.


Xylon has chosen the most beautiful flooring collections, but we know what it's like to be picky in style. That is why we offer you the opportunity to create your own appearance.

At Xylon you have the option of having all “natural” or “brushed” products with chamfered edges manufactured with the following surface finishes:

- *Sharp-edged classical parquet*
- *Solid plank and Castle planks*
- *Solid 2-layer plank, sharp-edged*
- *Plank multi-layer, bevel*
- *Plank 3-layer, bevel*
- *Castle planks 3-layer, sharp-edged*



Structure




Brushed

Article no. R0020



Light smoked


Article no. R0029



Deep smoked ¹


Article no. R0385*

UV-lacquered




Natural silk matt

Article no. R0012



White silk matt

Article no. R0048



Walnut silk matt

Article no. R0131

* On enquiry


Deep smoked ¹

Only available for solid oak flooring - dimensions 15x130mm and 20x140/160mm and only in the Nature and Marcant grades without sapwood.




Pure #R101

Article no. R0137



White #R331

Article no. R0139



White 5% #R331A

Article no. R0138




Crudo² #P920+R920

Article no. R0148




Smoke 5% #R326A

Article no. R0163



Gris Belge #R310


Article no. R0146



Champagne #R331A+R333


Article no. R0141

Rubio®



Natural

Article no. R0416




White 5%

Article no. R0412




White 22%

Article no. R0413




Vanilla

Article no. R0414




Champagne

Article no. R0417



Smoked Oak

Article no. R0415



Grey Brown

Article no. R0418





Vinyl

Our design floor (vinyl) is extremely durable and easy to care for. Vinyl is characterized by an authentic natural look and is personalized by a variety of surfaces for a perfect fit.

Our integrated impact sound insulation, SPC stone dust is ideally suited for underfloor heating as well as for kitchens and bathrooms, matt finish embossed, phthalate-free, suitable for high loads.

Due to its unique composition, the design floor (vinyl) is resistant to physical damage, the presence of water and open flames.

All products are made with an original Unilin click system for easy installation or as boards for glued use.



European Premium XL vinyl

Dimension: 5,0x228x1219mm wood decor | 5,0x305x915mm stone decor

Wear layer: 0,55mm

Exposure class: 33/34

Incl. 1,0mm IXPE high density integrated impact sound insulation

Package contents: 2,233m²

8 pieces

Pallet: 107,18m²

48 cartons

Article no.

VI-105932

VI-105933

VI-105934

VI-105935

VI-105936

VI-105937

VI-105938

VI-105939

VI-105940

Decor

Valencia

Venice

Chamonix

Heidelberg

Bergen

Bled

Tallinn

Kotor

Santorini



Wood decors

Heidelberg



Venice




Bergen




Valencia



Chamonix



Bled




Stone decors


Santorini



Kotor



Tallinn





Carrier material SPC (stone powder), suitable for underfloor heating.

Dimensions: 5,0 x 175 x 1210mm

Wear layer: 0,5 mm

Exposure class: 33/42

Incl. 1.0 mm integrated impact sound insulation

Package contents: 2,117m²
Pallet: 127,05m²

10 pieces
60 cartons

Article no.

VI-105695

VI-105699

VI-105698

VI-105696

VI-105694

VI-105697

Decor

Natural

Light Smoked

Silver Grey

Castle Grey*

Sand*

Smoked Oak*

* On enquiry

Our browns

Natural




Our greys

Silver Grey




Castle Grey



Our greige

Sand



Light Smoked



Smoked Oak







WPC solid, PRIME

Durability class according to DIN EN 350-2: II (durable)



Article no.	Dimensions, mm	Lengths, mm	Profile	Color	Package contents
DE-105497	20 x 140	3600/4800	small rilled/structure	light brown	2/3 pieces
DE-105499	20 x 140	3600/4800	small rilled/structure	light grey	2/3 pieces
DE-105500	20 x 140	3600/4800	small rilled/structure	dark grey	2/3 pieces

WPC hollow

Durability class according to DIN EN 350-2: II (durable)



Article no.	Dimensions, mm	Lengths, mm	Profile	Color	Package contents
DE-105501	24 x 140	4000	small rilled/structure	dark grey	2/3 pieces
DE-105502	24 x 140	4000	small rilled/structure	light grey	2/3 pieces
DE-105503	24 x 140	4000	small rilled/structure	light brown	2/3 pieces

WPC hollow, encased

Durability class according to DIN EN 350-2: II (durable)



Article no.	Dimensions, mm	Lengths, mm	Profile	Color	Package contents
DE-105728	22 x 140	4000	rilled/structure	Mocha brown	2/3 pieces
DE-105729	22 x 140	4000	rilled/structure	Latte brown	2/3 pieces
DE-105730	22 x 140	4000	rilled/structure	Ash grey	2/3 pieces
DE-105731	22 x 140	4000	rilled/structure	Carbon grey	3/2 pieces

Please always specify the desired visible side when ordering combination profiles!



WPC standard underconstruction

Durability class according to DIN EN 350-2: II (durable)

Article no.	Dimensions, mm	Lengths, mm	Profile
DE-105824	30 x 50	4000	smooth on all sides
DE-105549	40 x 60	4000	smooth on all sides



WPC end profile

With our WPC end profile, you can beautifully design the end and cut edges of your WPC decking.

Article no.	Dimensions, mm	Lengths, mm	Profile	Color
AC-105831	40 x 60	3000	smooth	dark grey
AC-105832	40 x 60	3000	smooth	light grey
AC-105833	40 x 60	3000	smooth	light brown



Professional rubber granulate pad

Underlay for bridging minor unevenness, as well as for protecting and insulating underconstruction. (Requirement: 2 pads per linear meter of underconstruction)

Article no.	Article	Content/package
AC-102764	Rubber granulate pad (3 x 40 x 80 mm)	1 piece loose
AC-102765	Rubber granulate pad (8 x 40 x 80 mm)	1 piece loose



Professional decking bases

Underlay for bridging minor unevenness, as well as for protecting and insulating underconstruction.
(Requirement: 2 pads per linear meter of underconstruction)

Article no.	Article	Content/package	
AC-101407	Decking bases adjustment range (35-55mm)	1 piece loose	
AC-105550	Decking bases adjustment range (35-70mm)	1 piece loose	
AC-105551	Decking bases adjustment range (66-145mm)	1 piece loose	
AC-102927	Decking bases adjustment range (140-220mm)	1 piece loose	

WPC professional decking clip

Professional fastening clip made of rust-free stainless steel for the invisible fastening of WPC decking on WPC or aluminum underconstruction. The clip automatically creates the ideal gap for WPC of approx. 4 mm.

Article no.	Article	Content/package	
AC-104116	WPC professional decking clip	100 clips including screws are sufficient for approx. 5 sqm	
AC-104117	WPC professional start and end clip	50 clips including screws are sufficient for approx. 25 sqm	
AC-105762	WPC professional clips for encased WPC	90 clips including screws are sufficient for approx. 5sqm	

Sales

Dino Mlivić

Sales Representative

Phone: +387 61 638 700

Email: dinom@xyloncorp.com

Sales department

Xylon Corporation d.o.o.

Line 1: +387 33 401 001

Line 2: +387 33 400 001

Fax: +387 33 401 002

Email: sales@xyloncorp.com

Warehouse office

Xylon Corporation d.o.o.

Phone: +387 33 431 324

Fax: +387 33 401 002

Email: info@xyloncorp.com

Our headquarters

Xylon Corporation d.o.o.

Phone: +387 33 401 001

Fax: +387 33 401 002

Email: info@xyloncorp.com

Finance

Our accounting

Phone: +387 33 402 001

Fax: +387 33 401 002

Email: info@xyloncorp.com

Follow
us on:



www.xyloncorp.com



XylonCorporation



xylonfloors



Our story.

We offer finest flooring, selected with care for those who anticipate world trends and respect the planet. so that together we may build a world that inspires wellbeing, for where there is wellbeing, there is happiness. Xylon.



www.xyloncorp.com



Floors that inspire well being

in partnership with Futura FloorsGmbH



www.xyloncorp.com